


气动附件/Pneumatic Accessories

新佳行可提供各种款式的气动辅件，现拥有气动塑料接头，金属接头，美式铜接头，快插接头，消声器，气枪，PU、PE、NY管子，压力开关，气动压力表等。新佳行的接头的原材料测试都在35 BAR下进行，采用100%韩国进口按钮，100%原材料进口密封件，100%的产品精密测试。
如果你需要研发属于自己的高品质辅件产品，欢迎来中国，欢迎来到新佳行！

JXPC can provide different kinds of pneumatic accessories, which currently has own pneumatic plastic fittings, metal fittings, U.S.A-style fittings, quick coupler, silencers, air gun, PU,PE,NY tube, pressure switch, pressure gauge etc. All JXPC fittings material testing is under 35 bar; with 100% Korea original imported sleeve; 100% original imported seal parts and 100% precision piece testing.
Do you need a very high speed pneumatic accessories product for Create? Please come to China, Please come to JXPC!




气动管接头/Pneumatic tube fittings

订购码/Ordering Code

J	PC	8	—	01
系列号 Series Number J: 为黑色系列 S: 为灰色系列 J: Q Series in Black Color S: S Series in Gray Color	型号 Model	气管外径 O.D. Of Tube DIA.		螺纹型式及尺寸 Thead Size

结构图/Structure chart



特点/Features

- 快插式气动管接头用于气动管类系统；
- 管接头具有各种各样的型号，可以满足你在气动管类系统中的所有需要；
- 即使安装之后，管道的方向仍然可以自由改变；
- 镀镍的铜体可以防腐蚀和污染；
- 所有的NPT螺纹胶都起密封作用；
- 所有直螺纹都用标准的O型圈。
- One-Touch tube fittings are used in Pneumatics piping.
- The tube fittings have a wide variety of models to meet all your needs in pneumatics piping.
- Even after installation,the direction of the tube can be changed freely.
- Nickel-Plated metal body ensures Anti-Corrosion and Anti-Contamination.
- All R and NPT threads are Pre-Coated sealant.
- All cylindrical threads are standard with O-Ring seals.

技术参数 Specification

使用流体	Fluid Type	空气，真空/Air Vacuum
使用压力范围	Operating Pressure	0～1.0Mpa)
负压	Negative Pressure	-100Kpa(10Torr)
耐压	Max.Pressure	1.5Mpa
使用环境及流体温度	Operating Temperature	0～60℃
适用软管	Applicable Tube	尼龙及PU / Nylon and Polyurethane

气管外径/Tube Outer DIA.

	公制 / Metric Size						英制 / Inch Size					
代号/Code	4	6	8	10	12	16	G5/32"	G3/16"	G1/4"	G5/16"	G3/8"	G1/2"
外径/DIA.	Φ4	Φ6	Φ8	Φ10	Φ12	Φ16	Φ5/32	Φ3/16	Φ1/4	Φ5/16	Φ3/8	Φ1/2

螺纹型式及尺寸/Thread type and Size

	公制/Metric Size								
代号/Code	M5	M6	M8	M10	M12	M12	M14	M16	M20
螺纹/thread	M5×0.8	M6×1	M8×1	M10×1	M10×1.25	M10×1.5	M10×1.5	M10×1.5	M10×1.5

	55° 锥管螺纹 /55° Taper Pipe Thread(PT)				
代号/Code	01	02	03	04	06
螺纹/thread	R1/8	R1/4	R3/8	R1/2	R3/4

	55° 直管螺纹 / 55° G-Thread				
代号/Code	G01	G02	G03	G04	G06
螺纹/thread	G1/8"	G1/4"	G3/8"	G1/2"	G3/4"

	统一细牙螺纹 / UNF	美制60° 锥管螺纹/American Standard Taper Pipe Thread(NPT)				
代号/Code	U10	N01	N02	N03	N04	N06
螺纹/thread	10-32UNF	NPT1/8	NPT1/4	NPT3/8	NPT1/2	NPT3/4



气动管接头/Pneumatic tube fittings

JPC



MODEL(ΦD-T)				
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(N PT)	
JPC04-M5	JPC06-04	JPC12-02	JPC5/32-N01	JPC5/16- N03
JPC04-M6	JPC08-01	JPC12-O3	JPC5/32-N02	JPC5/16- N04
JPC04-01	JPC08-02	JPC12-O4	JPC3/16-N01	JPC3/8-N01
JPC04-02	JPC08-03	JPC14-O3	JPC3/16-N02	JPC3/8-N02
JPC04-03	JPC08-04	JPC14-04	JPC1/4-N01	JPC3/8-N03
JPC06-M5	JPC10-01	JPC15-O3	JPC1/4-N02	JPC3/8-N04
JPC06-M6	JPC10-02	JPC15-04	JPC 1/4-N03	JPC1/2-N01
JPC06-01	JPC10-03	JPC16-03	JPC1/4-N04	JPC1/2-N02
JPC06-02	JPC10-04	JPC16-04	JPC5/16-N01	JPC1/2-N03
JPC06-03	JPC12-01	JPC16-06	JPC5/16-N02	JPC1/2-N04

JPOC



MODEL(ΦD-T)					
Tube(Metric)-Thread(R)					
JPOCO4-M5	JPOCO6-M5	JPOC06-03	JPOC08-03	JPOC10-03	JPOC12-03
JPOCO4-M6	JPOCO6-M6	JPOC06-04	JPOC08-04	JPOC10-04	JPOC12-04
JPOC04-01	JPOC06-01	JPOC08-01	JPOC10-01	JPOC12-01	
JPOC04-02	JPOC06-02	JPOC08-02	JPOC10-02	JPOC12-02	

JPCF



MODEL(ΦD-T)				
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(N PT)	
JPCFO4-M5	JPCF08-01	PCF12-03	JPCF5/32-N01	JPCF5/16-N03
JPCFO4-ME	JPCF08-02	PCF12-04	JPCF5/32-N02	JPCF5/16-N04
JPCF04-01	JPCF08-03		JPCF3/16-N01	JPCF3/8-N01
JPCF04-02	JPCF08-04		JPCF3/16-N02	JPCF3/8-N02
JPCFO6-M5	JPCFIO-01		JPCF1/4-N01	JPCF3/8-N03
JPCFO6-ME	JPCF10-02		JPCF1/4-N02	JPCF3/8-N04
JPCF06-01	JPCF10-03		JPCF1/4-N03	JPCF1/2-N01
JPCF06-02	JPCF10-04		JPCF1/4-N04	JPCF1/2-N02
JPCF06-03	POE12-01		JPCF5/16-N01	JPCF1/2-N03
JPCF06-04	JPCF12-O2		JPCF5/16-N02	JPCF1/2-N04

JPB



MODEL(ΦD-T)				
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(N PT)	
JPB04-M5	JPB06-04	JPB12-02	JPB5/32-N01	JPB5/16-N03
JPB04-M6	JPB08-01	JPB12-03	JPB5/32-N02	JPB5/16-N04
JPB04-01	JPB08-02	JPB12-04	JPB3/16-N01	JPB3/8-N01
JPB04-02	JPB08-03	JPB14-03	JPB3/16-N02	JPB3/8-N02
JPB04-03	JPB08-04	JPB14-04	JPB1/4-N01	JPB3/8-N03
JPB06-M5	JPB 10-01	JPB15-03	JPB1/4-N02	JPB3/8-N04
JPB06-M6	JPB 10-02	JPB1 5-04	JPB1/4-N03	JPB1/2-N01
JPB06-01	JPB 10-03	JPB1 6-03	JPB1/4-N04	JPB1/2-N02
JPB06-02	JPB 10-04	JPB1 6-04	JPB5/16-N01	JPB1/2-N03
JPB06-03	JPB12-01		JPB5/16-N02	JPB1/2-N04

JPD



MODEL(ΦD-T)				
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(N PT)	
JPD04-M5	JPD06-04	JPD12-O2	JPD5/32-N01	JPD5/16- N03
JPD04-M6	JPD08-01	JPD12-03	JPD5/32-N02	JPD5/16- N04
JPD04-01	JPD08-02	JPD12-04	JPD3/16-N01	JPD3/8-N01
JPD04-02	JPD08-03	JPD14-03	JPD3/16-N02	JPD3/8-N02
JPD04-03	JPD08-04	JPD14-04	JPD1/4-N01	JPD3/8-N03
JPD06-M5	JPD10-01	JPD15-03	JPD1/4-N02	JPD3/8-N04
JPD06-M6	JPD10-02	JPD15-04	JPD1/4-N03	JPD1/2-N01
JPD06-01	JPD10-03	JPD16-03	JPD1/4-N04	JPD1/2-N02
JPD06-02	JPD10-04	JPD16-04	JPD5/16-N01	JPD1/2-N03
JPD06-03	JPD12-01		JPD5/16-N02	JPD1/2-N04

Fitting
Muffler
Pu Tube
Air Gun

气动管接头/Pneumatic tube fittings

JPL



MODEL(ΦD-T)				
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(N PT)	
JPL04-M5	JPL06-04	JPL12-02	JPL5/32-N01	JPL5/16-N03
JPL04-M6	JPL08-01	JPL12-03	JPL5/32-N02	JPL5/16-N04
JPL04-01	JPL08-02	JPL12-04	JPL3/16-N01	JPL3/8-N01
JPL04-02	JPL08-03	JPL14-03	JPL3/16-N02	JPL3/8-N02
JPL04-03	JPL08-04	JPL14-04	JPL1/4-N01	JPL3/8-N03
JPL06-M5	JPL10-01	JPL15-03	JPL1/4-N02	JPL3/8-N04
JPL06-M6	JPL10-02	JPL15-04	JPL1/4-N03	JPL1/2-N01
JPL06-01	JPL10-03	JPL16-03	JPL1/4-N04	JPL1/2-N02
JPL06-02	JPL10-04	JPL16-04	JPL5/16-N01	JPL1/2-N03
JPL06-03	JPL12-01		JPL5/16-N02	JPL1/2-N04

JPX



MODEL(ΦD-T)				
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(N PT)	
JPX04-M5	JPX06-04	JPX 12-02	JPX5/32-N01	JPX5/16- N04
JPX04-M6	JPX08-01	JPX 12-03	JPX5/32-N02	JPX3/8-N01
JPX04-01	JPX08-02	JPX 12-04	JPX3/16-N01	JPX3/8-N02
JPX04-02	JPX08-03		JPX3/16-N02	JPX3/8-N03
JPX04-03	JPX08-04		JPXI/4-N01	JPX3/8-N04
JPX06-M5	JPXI0-01		JPXI/4-N02	JPXI/2-N01
JPX06-M6	JPXI 0-02		JPXI/4-N03	JPXI/2-N02
JPX06-01	JPXI 0-03		JPX5/16-N01	JPXI/2-N03
JPX06-02	JPXI 0-04		JPX5/16-N02	JPXI/2-N04
JPX06-03	JPX12-01		JPX5/16-N03	

JPLL



MODEL(ΦD-T)	
Tube(Metric)-Thread(R)	
JPLLO4-M5	JPLL08-03
JPLLO4-M6	JPLL08-04
JPLL04-01	JPLL10-01
JPLL04-02	JPLL10-02
JPLLO6-M5	JPLL1 O-03
JPLLO6-M6	JPLL10-04
JPLL06-01	JPLL12-01
JPLL06-02	JPLL12-02
JPLL06-03	JPLL12-03
JPLL06-04	JPLL12-04
JPLL08-01	
JPLL08-02	

JPLN



MODEL(ΦD-T)	
Tube(Metric)-Thread(R)	
JPLN04-M5	JPLN08-02
JPLN04-M6	JPLN08-03
JPLN04-01	JPLN08-04
JPLN04-02	JPLN 10-01
JPLN04-03	JPLN 10-02
JPLN06-M5	JPLN 10-03
JPLN06-M6	JPLN 10-04
JPLN06-01	JPLN 12-01
JPLN06-02	JPLN 12-02
JPLN06-03	JPLN12-03
JPLN06-04	JPLN12-04
JPLN08-01	

JPKD




MODEL(ΦD-T)	
Tube(Metric)-Thread(R)	
JPKD04-M5	JPKD08-01
JPKD04-01	JPKD08-02
JPKD04-02	JPKD08-03
JPKD04-03	JPKD08-04
JPKD06-M5	JPKD10-01
JPKD06-01	JPKD10-02
JPKD06-02	JPKD10-03
JPKD06-03	JPKD10-04
JPKD06-04	

JPLF



MODEL(ΦD-T)	
Tube(Metric)-Thread(R)	
JPLFO4-M5	JPLF08-02
JPLFO4-M6	JPLF08-03
JPLF04-01	JPLF08-04
JPLF04-02	JPLF10-01
JPLFO6-M5	JPLF10-02
JPLFO6-M6	JPLF10-03
JPLF06-01	JPLF10-04
JPLF06-02	JPLF12-01
JPLF06-03	JPLF12-02
JPLF06-04	JPLF12-03
JPLF08-01	JPLF12-04



气动管接头/Pneumatic tube fittings

JPV



MODEL(ΦD)	
Tude(Metric)	Tude(Inch)
JPV04	JPV5/32
JPV06	JPV3/16
JPV08	JPV1/4
JPVIO	JPV5/16
JPV12	JPV3/8
JPV14	JPV1/2
JPV15	
JPV16	

JPK



MODEL(ΦD)	
Tude(Metric)	Tude(Inch)
JPK04	JPK3/16-5/32
JPK06	JPK1/4-3/16
JPK08	JPK5/16-1/4
JPK10	JPK3/8-5/6
JPK06-04	
JPK08-04	
JPK08-06	
JPK10-06	
JPK10-08	

JPE



MODEL(ΦD)	
Tude(Metric)	Tude(Inch)
JPE04	JPE5/32
JPE06	JPE3/16
JPE08	JPE1/4
JPEIO	JPE5/16
JPE12	JPE3/8
JPE14	JPE1/2
JPE15	JPE3/16-5/32-3/16
JPE16	JPE1/4-3/16-1/4
JPE06-04-06	JPE5/16-1/4-5/16
JPE08-04-08	JPE3/8-5/16-3/8
JPE08-06-08	JPE1/2-3/8-1/2
JPE10-06-10	
JPE10-08-10	
JPE12-08-12	
JPE12-10-12	

JPZ



MODEL(ΦD)	
Tude(Metric)	Tude(Inch)
JPZ04	JPZ5/32
JPZ06	JPZ1/4
JPZ08	JPZ5/16
JPZ10	JPZ3/8
JPZ12	

JPM



MODEL(ΦD)
Tude(Metric)
JPM4
JPM6
JPM8
JPM10
JPM12

JPY



MODEL(ΦD)	
Tude(Metric)	Tude(Inch)
JPY04	JPY5/32
JPY06	JPY3/16
JPY08	JPY1/4
JPY10	JPY5/16
JPY12	JPY3/8
JPY06-04	JPY 1/2
JPY08-04	JPY3/16-5/32
JPY08-06	JPY1/4-3/16
JPY10-06	JPY3/8-5/16
JPY1 O-O8	JPY 1/2-3/8
JPY12-O8	
JPY12-10	

JPU



MODEL(ΦD)	
Tude(Metric)	Tude(Inch)
JPU04	JPU5/32
JPU06	JPU3/16
JPU08	JPUI/4
JPUIO	JPU5/16
JPUI2	JPU3/8
JPUI4	JPU 1/2
JPUI5	JPU3/16-5/32
JPUI6	JPU1/4-3/16
JPU06-04	JPU5/16-1/4
JPU08-04	JPU3/8-5/16
JPU08-06	JPU1/2-3/8
JPUIO-06	
JPUIO-08	
JPU12-06	
JPU12-08	
JPU12-10	

JPYJ



MODEL(ΦD)	
Tude(Metric)	
JPYJ04	JPYJ06-04
JPYJ06	JPYJ08-06
JPYJ08	JPYJ 10-08
JPYJ10	JPYJ12-10
JPYJ12	

JPGJ



MODEL(ΦD)	
Tude(Metric)	
JPGJ06-04	JPGJ10-08
JPGJ08-04	JPGJ12-06
JPGJ08-06	JPGJ12-08
JPGJ10-06	JPGJ12-10

气动管接头/Pneumatic tube fittings

JPMF



MODEL(ΦD-T)	
Tube(Metric)-Thread(R)	
JPMF04-01	JPMF08-04
JPMF04-02	JPMFIO-01
JPMF06-01	JPMFIO-02
JPMF06-02	JPMFIO-03
JPMF06-03	JPMFIO-04
JPMF06-04	JPMF12-01
JPMF08-01	JPMF12-02
JPMF08-02	JPMF12-03
JPMF08-03	JPMF12-04

JPP



MODEL(ΦD-T)
Tube(Metric)
JPP04
JPP06
JPP08
JPP10
JPP12

JPH



MODEL(ΦD-T)					
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(NPT)		
JPH04-M5	JPH06-03	JPH10-02	JPH5/32-N01	JPH5/16-N01	JPH3/8-N03
JPH04-01	JPH08-01	JPH10-03	JPH3/16-N01	JPH5/16-N02	JPH3/8-N04
JPH04-02	JPH08-02	JPH10-04	JPH3/16-N02	JPH5/16-N03	JPH1/2-N02
JPH06-M5	JPH08-03	JPH12-02	JPH1/4-N01	JPH5/16-N04	JPH1/2-N03
JPH06-01	JPH08-04	JPH12-03	JPH1/4-N02	JPH3/8-N01	JPH1/2-N04
JPH06-02	JPH10-01	JPH12-04	JPH1/4-N03	JPH3/8-N02	

JPHF



MODEL(ΦD-T)					
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(NPT)		
JPH F04-M5	JPHF06-03	JPHF10-03	JPH F5/32-N01	JPHF5/16-N02	JPHF1/2-N02
JPH F04-01	JPHF08-01	JPHF10-04	JPHF3/16-N01	JPHF5/16-N03	JPHF1/2-N03
JPH F04-02	JPHF08-02	JPHF12-02	JPHF3/16-N02	JPHF5/16-N04	JPHF1/2-N04
JPHF06-M5	JPHF08-03	JPHF12-03	JPHF1/4-N01	JPHF3/8-N02	
JPHF06-01	JPHF08-04	JPHF12-04	JPHF1/4-N02	JPHF3/8-N03	
JPH F06-02	JPHF10-02		JPHF5/16-N01	JPHF3/8-N04	

JPHT(2)



MODEL(ΦD-T)	
Tube(Metric)-Thread(R)	
JPHT04-01 (2)	JPHT08-04(2)
JPHT04-02(2)	JPHT10-01 (2)
JPHT06-01 (2)	JPHT10-02(2)
JPHT06-02(2)	JPHT10-03(2)
JPHT06-03(2)	JPHT10-04(2)
JPHT08-01 (2)	JPHT12-02(2)
JPHT08-02(2)	JPHT12-03(2)
JPHT08-03(2)	JPHT12-04(2)

JPKJ



MODEL(ΦD-T)	
Tude(Metric)	
JPKJ04	JPKJ06-04
JPKJ06	JPkJ08-04
JPKJ08	JPkJ08-06
JPKJ10	JPKJ10-06
	JPKJ10-08

JPLJ



MODEL(ΦD-T)	
Tude(Metric)	
JPLJ04	JPLJ06-04
JPLJ06	JPLJ08-06
JPLJ08	JPLJ10-08
JPLJ10	JPLJ12-10
JPLJ12	

JPBJ



MODEL(ΦD-T)	
Tude(Metric)	
JPBJ04	JPBJ06-04
JPBJ06	JPBJ08-06
JPBJ08	JPBJ10-08
JPBJ10	JPBJ12-10
JPBJ12	

JPDJ



MODEL(ΦD-T)	
Tude(Metric)	
JPDJ04	JPDJ06-04
JPDJ06	JPDJ08-06
JPDJ08	JPDJ10-08
JPDJ10	JPDJ12-10
JPDJ12	



G螺纹气动管接头/Pneumatic tube fittings with G Thread (O-ring)

JPC-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JPC04-G01	JPC 10-G03
JPC04-G02	JPC 10-G04
JPC04-G03	JPC12-G01
JPC06-G01	JPC12-G02
JPC06-G02	JPC12-G03
JPC06-G03	JPC12-G04
JPC06-G04	JPC14-G03
JPC08-G01	JPC14-G04
JPC08-G02	JPC 15-G03
JPC08-G03	JPC 15-G04
JPC08-G04	JPC 16-G03
JPC10-G01	JPC 16-G04
JPC10-G02	

JPOC-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JPOC04-G01	JPOC08-G04
JPOC04-G02	JPOC10-G01
JPOC06-G01	JPOC10-G02
JPOC06-G02	JPOC10-G03
JPOC06-G03	JPOC10-G04
JPOC06-G04	JPOC12-G01
JPOC08-G01	JPOC12-G02
JPOC08-G02	JPOC12-G03
JPOC08-G03	JPOC12-G04

JPLL-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JPLL04-G01	JPLL08-G04
JPLL04-G02	JPLL10-G01
JPLL06-G01	JPLL10-G02
JPLL06-G02	JPLL10-G03
JPLL06-G03	JPLL10-G04
JPLL06-G04	JPLL12-G01
JPLL08-G01	JPLL12-G02
JPLL08-G02	JPLL12-G03
JPLL08-G03	JPLL12-G04

JPH-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JPH04-G01	JPH08-G04
JPH04-G02	JPH10-G01
JPH06-G01	JPH10-G02
JPH06-G02	JPH10-G03
JPH06-G03	JPH10-G04
JPH06-G04	JPH12-G02
JPH08-G01	JPH12-G03
JPH08-G02	JPH12-G04
JPH08-G03	

JPKD-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JPKD04-G01	JPKD08-G02
JPKD04-G02	JPKD08-G03
JPKD06-G01	JPKD08-G04
JPKD06-G02	JPKD10-G01
JPKD06-G03	JPKD10-G02
JPKD06-G04	JPKD10-G03
JPKD08-G01	JPKD10-G04

JPX-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JPX04-G01	JPX08-G04
JPX04-G02	JPX10-G01
JPX04-G03	JPX10-G02
JPX06-G01	JPX10-G03
JPX06-G02	JPX10-G04
JPX06-G03	JPX12-G01
JPX06-G04	JPX12-G02
JPX08-G01	JPX12-G03
JPX08-G02	JPX12-G04
JPX08-G03	

JPCF-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JPCF04-G01	JPCF08-G04
JPCF04-G02	JPCF10-G01
JPCF04-G03	JPCF10-G02
JPCF06-G01	JPCF10-G03
JPCF06-G02	JPCF10-G04
JPCF06-G03	JPCF12-G01
JPCF06-G04	JPCF12-G02
JPCF08-G01	JPCF12-G03
JPCF08-G02	JPCF12-G04
JPCF08-G03	

JPL-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JPL04-G01	JPL10-G03
JPL04-G02	JPL10-G04
JPL06-G01	JPL12-G01
JPL06-G02	JPL12-G02
JPL06-G03	JPL12-G03
JPL06-G04	JPL12-G04
JPL08-G01	JPL14-G03
JPL08-G02	JPL14-G04
JPL08-G03	JPL15-G03
JPL08-G04	JPL15-G04
JPL10-G01	JPL16-G03
JPL10-G02	JPL16-G04

JPHF-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JPHF04-G01	JPHF08-G04
JPHF04-G02	JPHF10-G01
JPHF06-G01	JPHF10-G02
JPHF06-G02	JPHF10-G03
JPHF06-G03	JPHF10-G04
JPHF06-G04	JPHF12-602
JPHF08-G01	JPHF12-G03
JPHF08-G02	JPHF12-G04
JPHF08-G03	

JPB-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JPB04-G01	JPB10-G03
JPB04-G02	JPB10-G04
JPB04-G03	JPB12-G01
JPB06-G01	JPB12-G02
JPB06-G02	JPB12-G03
JPB06-G03	JPB12-G04
JPB06-G04	JPB14-G03
JPB08-G01	JPB14-G04
JPB08-G02	JPB15-G03
JPB08-G03	JPB15-G04
JPB08-G04	JPB16-G03
JPB10-G01	JPB16-G04
JPB10-G02	


JPD-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JPD04-G01	JPD10-G03
JPD04-G02	JPD10-G04
JPD06-G01	JPD12-G01
JPD06-G02	JPD12-G02
JPD06-G03	JPD12-G03
JPD06-604	JPD12-604
JPD08-601	JPD14-G03
JPD08-G02	JPD14-G04
JPD08-603	JPD15-G03
JPD08-G04	JPD15-G04
JPD10-601	JPD16-G03
JPD10-602	JPD16-G04

节流阀/Speed controls

结构图/Structure chart



特点/Features


- 节流阀可控制空气装置的工作速度以及气压信号的传输
- 该压缩设计可提供跟大功率设计一样的速度范围的变化
- 限入型与限出型适合于各种型号
- 所有R跟NPT螺纹胶都起密封作用
- 所有螺纹都用标准的O型圈
- Accurate regulation of an optimal airflow rate of for precise motion control.
- The compact design provides the comparable range of speed as the larger ones do.
- Control-out and control-in types are available for all models.
- All R and NPT threads are Pre-Coated sealant.
- All cylindrical threads are standard with O-Ring seals.

另可做Φ5、Φ7、Φ9、Φ11单数管接头
It can do Φ5、Φ7、Φ9、Φ11 Odd Number Tube Fittings.

技术参数 Specification

使用流体/Fluid	空气(无其他的气体和液体)/Air(No other gases or liquids)	
使用压力范围/Operating Preessure	0~150PSI	0~9.9Kgf/cm²(0~990KPa)
负压/Negative Pressure	7.5PSI	0.5Kgf/cm²(50KPa)
使用温度范围/Operating Temperature	32~140℉	0~60℃
使用软管/Applicable Tube	PU及尼龙/Polyurethane and Nylon	

控制方式 Control Way

型号/Type Symbol	正装/Control out	反装/Control in
		
	例:IS06-01	例:IS06-01B

当你要定反装的节流阀时，请在型号后面加上B，比如：ISC06/01B。
When you order control in type, please put B at at the end of model type. For example,ISC06-01B.

JSC



MODEL(ΦD-T)					
Tude(Metric)-Thread(R)			Tude(Inch)-Thread(NPT)		
JSC04-M5(B)	JSC06-04(B)	JSC10-03(B)	JSC5/32-U10(B)	JSC1/4-N02(B)	JSC3/8-N01(B)
JSC04-01(B)	JSC08-01(B)	JSCI0-04(B)	JSC5/32-N01(B)	JSC1/4-N03(B)	JSC3/8-N02(B)
JSC04-02(B)	JSC08-02(B)	JSC12-01(B)	JSC3/16-U10(B)	JSC1/4-N04(B)	JSC3/8-N03(B)
JSC06-M5(B)	JSC08-03(B)	JSC12-02(B)	JSC3/16-N01(B)	JSC5/16-N01(B)	JSC3/8-N04(B)
JSC06-01(B)	JSC08-04(B)	JSC12-03(B)	JSC3/16-N02(B)	JSC5/16-N02(B)	JSC1/2-N02(B)
JSC06-02(B)	JSCI0-01(B)	JSC12-04(B)	JSC1l/4-U10(B)	JSC5/16-N03(B)	JSC1/2-N03(B)
JSC06-03(B)	JSC10-02(B)		JSC1/4-N01(B)	JSC5/16-N04(B)	JSC1/2-N04(B)

JSC-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JSC04-G01(B)	JSC08-G04(B)
JSC04-G02(B)	JSC10-G01(B)
JSC06-G01(B)	JSC10-G02(B)
JSC06-G02(B)	JSC10-G03(B)
JSC06-G03(B)	JSC10-G04(B)
JSC06-G04(B)	JSC12-G01(B)
JSC08-G01(B)	JSC12-G02(B)
JSC08-G02(B)	JSC12-G03(B)
JSC08-G03(B)	JSC12-G04(B)

JSU



MODEL(ΦD)	
Tube(Metric)	Tube(Inch)
JSU04	JSU5/32
JSU06	JSU3/16
JSU08	JSU1/4
JSU10	JSU5/16
JSU12	JSU3/8
	JSU1/2

JSS-G




MODEL(ΦD-T)
Tude(Metric)-Thread(G)
JSJS04-G01(B)
JSJS04-G02(B)
JSJS06-G01(B)
JSJS06-G02(B)
JSJS08-G01(B)
JSJS08-G02(B)
JSJS10-G02(B)
JSJS10-G03(B)
JSJS12-G02(B)
JSJS12-G03(B)



单向阀/Check Valves

结构图/Structure chart



作用 Applications

单向阀允许空气朝一个方向流动
使输出压力保持恒定量
Check valves permit airflow in one direction.
Used for maintaining the output pressure at a constant level.

特点/Features

- 单向阀允许气流通过一个方向流通，但是阻止下相反的方向
- 单向阀可使工作压力保持在0.1kgf/cm^2，真空中保持在1.42PSI，并且在低压下进行管道连接
- The check valves permit the airflow in one direction but stop in the reverse direction.
- The check value works at the pressure of 0.1kgf/cm^2，keeps 1.42 PSI in vacuum and connects at a low pressure.

技术参数 Specification

使用流体/Fluid	空气(无其他的气体和液体)/Air(No Other Gases Or Liquids)	
使用压力范围/Operating Pressure	0~150PSI	0~9.9Kgf/cm^2(0-990Pa)
负压/Negative Pressure	-29.5in Hg	-750mmHg(-750Torr)
使用温度范围/Operating Temperature	32~140℉	0~60℃
使用软管/Applicable Tube	PU及尼龙/POlyurethane and Nylon	

控制方式 Control Method

型号/Type	Meter IN	Meter OUT
流量/Air Flow	螺纹流向管子/Thread to Tube	管子流向管子/Tube to Thread
JPCVC		
JPCVF		

空白/BLANK: 螺纹流向管子/Thread to Tube　B: 管子流向螺纹/Tube to Thread

JPCVC-G



MODEL(ΦD-T)
Tude(Metric)-Thread(R)
JPCVC 04-G01(B)
JPCVC 06-G01(B)
JPCVC 06-G02(B)
JPCVC 08-G01(B)
JPCVC 08-G02(B)
JPCVC 10-G03(B)
JPCVC 10-G04(B)
JPCVC 12-G03(B)
JPCVC 12-G04(B)

JPCVF



MODEL(ΦD-T)
Tude(Metric)-Thread(R)
JPCVF 01-01(B)
JPCVF 02-02(B)
JPCVF 03-03(B)
JPCVF 04-04(B)

JPCVC



MODEL(ΦD-T)
Tude(Metric)-Thread(R)
JPCVC 04-M5(B)
JPCVC 04-M5(B)
JPCVC 04-01(B)
JPCVC 06-01(B)
JPCVC 06-02(B)
JPCVC 08-01(B)
JPCVC 08-02(B)
JPCVC 10-03(B)
JPCVC 10-04(B)
JPCVC 12-03(B)
JPCVC 12-04(B)

JPCVU



MODEL(ΦD)
Tude(Metric)
JPCVU 04
JPCVU 06
JPCVU 08
JPCVU 10
JPCVU 12

JPCVF-G




MODEL(ΦD-T)
Tude(Metric)-Thread(R)
JPCVF 01-G01(B)
JPCVF 02-G02(B)
JPCVF 03-G03(B)
JPCVF 04-G04(B)

迷你接头/Mini Fittings

订购码/Ordering Code

J	PC	06	—	01	C
系列号 Series Number	型号 Model	气管直径 Tube Outer DIA.		螺纹型号/Thread Size	超小型 Compact Nickel
公制-锥螺纹 METRIC-BSPT(R)	超小型接头 Compact One Touch Fitting	规格 Code / 尺寸 Size		公制螺纹/Metric Thread 规格/Code / 尺寸/Size	
		03 Φ03		M3 M3x0.5	
		04 Φ04		M5 M5x0.8	
		06 Φ06		M6 M6x1.0	
				锥螺纹/R(PT)Thread 规格/Code / 尺寸/Size	
				01 R1/8	

结构图/Structure chart



特点/Features

- 紧凑型结构设计,特别适合紧凑型设备.
- 所有的迷你紧凑型接头表面都可以镀镍.
- I deal for pneumatic connections specially for, small and compact equipment.
- Nickel-plated metallic standardized feature for all applicable compact fittings

技术参数 Specification

使用流体/Fluid	空气(无其他的气体和液体)/Air(No Other Gases Or Liquids)	
使用压力范围/Operating Pressure	0~150PSI	0~9.9Kgf/cm^2(0-990KPa)
负压/Negative Pressure	-29.5in Hg	-750mmHg(10Torr)
使用温度范围/Operating Temperature	32~140℉	0~60℃
使用软管/Applicable Tube	PU及尼龙/POlyurethane and NylOn	

JPC-C



MODEL(ΦD-T)
Tude(Metric)-Thread(R)
JPC 03-M3C
JPC 03-M5C
JPC 03-01C
JPC 04-M13C
JPC 04-M5C
JPC 04-M16C
JPC 04-01C
JPC 06-M50
JPC 06-/16C
JPC 06-01C

JPOC-C



MODEL(ΦD-T)
Tude(Metric)-Thread(R)
JPOC03-M3C
JPOC03-M5C
JPOC04-M3C
JPOC04-M5C
JPOC04-M6C
JPOC04-01C
JPOC06-M5C
JPOC06-M6C
JPOC06-01C

JPL-C



MODEL(ΦD-T)
Tude(Metric)-Thread(R)
JPL03-M3C
JPL03-M5C
JPL03-01C
JPL04-M13C
JPL04-M5C
JPL04-M6C
JPL04-01C
JPL06-M5C
JPL06-M6C
JPL06-01C
JPL06-02C

JPE-C



MODEL(ΦD)
Tube(Metric)
JPE03C
JPE04C
JPE06C

JPV-C



MODEL(ΦD)
Tube(Metric)
JPV 03C
JPV 04C
JPV 06C

JPU-C



MODEL(ΦD)
Tube(Metric)
JPU 03C
JPU 04C
JPU 06C

JPLL-C



MODEL(ΦD-T)
Tude(Metric)-Thread(R)
JPLLO3-M3C
JPLLO3-M5C
JPLL03-01C
JPLLO4-M3C
JPLLO4-M5C
JPLLO4-M6C
JPLL04-01C
JPLLO6-M5C
JPLL06-M6C
JPLL06-01C

JPD-C




MODEL(ΦD-T)
Tude(Metric)-Thread(R)
JPD03-M3C
JPD03-M5C
JPD03-01C
JPD04-M3C
JPD04-M5C
JPD04-M6C
JPD04-01C
JPD06-M5C
JPD06-M6C
JPD06-01C

JPB-C



MODEL(ΦD-T)
Tude(Metric)-Thread(R)
JPBO3-M3C
JPBO3-M5C
JPB03-01C
JPBO4-M3C
JPBO4-M5C
JPBO4-M6C
JPB04-01C
JPBO6-M5C
JPBO6-M6C
JPB06-01C




截止阀件/Stop Fittings

作用 Applications

用在气动管经常更换的地方
Used in the place where
pneumatic piping frequently changes.

结构图/Structure chart



特点/Features

- 当管子断开连接时，气体是完全被阻拦住的，只有当重新连接上并且确保安全后，气体才能流通。
- Air is completely blocked when the tube is released and the air flows again only after connection to ensure safety.The air flows only when the tube is connected.

技术参数 Specification

使用流体/Fluid	空气(无其他的气体和液体)/Air(No Other Gases Or Liquids)	
使用压力范围/Operating Pressure	0~150PSI	0~9.9Kgf/cm2(0~990KPa)
负压/Negative Pressure	-29.5in Hg	-750mmHg(-750Torr)
使用温度范围/Operating Temperature	32~140℉	0~60℃
使用软管/Applicable Tube	PU及尼龙/POlyurethane and NylOn	

JSPC



MODEL(ΦD-T)
Tude(Metric)-Thread(R)
JSPC 04-01
JSPC 06-01
JSPC O6-O2
JSPC 08-01
JSPC 08-02
JSPC 08-03
JSPC 10-02
JSPC 10-03
JSPC 10-04
JSPC 12-02
JSPC 12-03
JSPC 12-04

JSPC-G



MODEL(ΦD-T)
Tude(Metric)-Thread(G)
JSPC 04-G01
JSPC 06-G01
JSPC 06-G02
JSPC 08-G01
JSPC 08-G02
JSPC 08-G03
JSPC 10-602
JSPC 10-603
JSPC 10-G04
JSPC 12-602
JSPC 12-603
JSPC 12-G04

JSPL



MODEL(ΦD-T)	
Tude(Metric)-Thread(R)	
JSPL 04-M5	JSPL 08-02
JSPL 04-M6	JSPL 08-03
JSPL 04-01	JSPL 10-02
JSPL 06-M5	JSPL 10-03
JSPL 06-M6	JSPL 10-04
JSPL 06-01	JSPL 12-02
JSPL 06-02	JSPL 12-03
JSPL 08-01	JSPL 12-04

JSPL-G



MODEL(ΦD-T)	
Tude(Metric)-Thread(G)	
JSPL04-G01	JSPL 10-G02
JSPL06-G01	JSPL 10-G03
JSPL06-G02	JSPL 10-G04
JSPL08-G01	JSPL 12-G02
JSPL08-G02	JSPL 12-G03
JSPL08-G03	JSPL 12-G04

JKSPU



MODEL(ΦD)
Tude(Metric)
KJSPU 04
KJSPU 06
KJSPU 08
KJSPU 10
KJSPU 12

手控阀、球阀/Hand Valve、Ball Valves


作用 Applications

手控阀用来控制空气流向
Hand valves used for switching compressed air

技术参数 Specification

使用流体/Fluid	空气(无其他的气体和液体)/Air(No other gases or liquids)	
使用压力范围/Operating Preessure	0-150PSI	0-9.9Kgf/cm^2(0-990KPa)
负压/Negative Pressure	-29.5in Hg	-750mmHg(-750Torr)
使用温度范围/Operating Temperature	32-140° F	0-60° C
使用软管/Applicable Tube	PU及尼龙/Polyurethane and Nylon	

结构图/Structure chart



B:两通/TWOWAY 空白/BLANK：三通 / THREEWAY
如果你需要两通手阀，请在型号后面加上B，比如：HVFF06-06B。
When youorder Two-Way hand valve,please put B after model type. Fore xample：HVFF06—06B

特点/Features

- 手控阀和球阀是控制气动装置空气压力的开与关。
- 当设备要进行必要的检查和维修保养,手控阀可使剩余压力都释放。
- 手控阀门有四种类型供使用。
- Hand valves and ball valves switched air on/off air pressure devices by simply turning the handle.
- It can removed the remaining pressure in the device when maintenance or inspection is possible.
- There are 4 types of hand valves available depending on the method applied to air pressure flow.

JHVFF



MOEL(ΦD)	
Tude(Metric)-Tude(Metric)	
JHVFF06-06(B)	JHVFF10-10(B)
JHVFF08-06(B)	JHVFF12-10(B)
JHVFF08-08(B)	JHVFF12-12(B)
JHVFF10-08(B)	

JHVSF



MOEL(T-ΦD)	
Thread(R)-Tude(Metric)	
JHVSF01-06(B)	HVSF02-10(B)
JHVSF02-06(B)	HVSF03-10(B)
JHVSF03-06(B)	HVSF04-10(B)
JHVSF01-08(B)	HVSF02-12(B)
JHVSF02-08(B)	HVSF03-12(B)
JHVSF03-08(B)	HVSF04-12(B)

JHVSS-G



MOEL(ΦD-T)
Tude(Metric)-Thread(R)
JHVSS01-G01(B)
JHVSS02-G01(B)
JHVSS02-G02(B)
JHVSS03-G02(B)
JHVSS03-G03(B)
JHVSS04-G03(B)
JHVSS04-G04(B)

JHVSF-G



MOEL(ΦD-T)	
Thread(G)-Tude(Metric)	
HVSF01G-06(B)	HVSF02G-10(B)
HVSF02G-06(B)	HVSF03G-10(B)
HVSF03G-06(B)	HVSF04G-10(B)
HVSF01G-08(B)	HVSF02G-12(B)
HVSF02G-08(B)	HVSF03G-12(B)
HVSF03G-08(B)	HVSF04G-12(B)

JHVSS



MOEL(ΦD)	
Thread(R)-Thread(R)	
JHVSS01-01(B)	JHVSS03-03(B)
JHVSS02-01(B)	JHVSS04-0S(B)
JHVSS02-02(B)	JHVSS04-04(B)
JHVSS03-02(B)	

JHVFS



MOEL(ΦD-T)	
Tude(R)-Thread(R)	
JHVFS06-01(B)	JHVFS10-02(B)
JHVFS06-02(B)	JHVFS10-03(B)
JHVFS06-03(B)	JHVFS10-04(B)
JHVFS08-01(B)	JHVFS12-02(B)
JHVFS08-02(B)	JHVFS12-03(B)
JHVFS08-03(B)	JHVFS12-04(B)

JHVFS-G



MOEL(ΦD-T)	
Tude(Metric)-Thread(R)	
JHVFS06-G01(B)	JHVFS10-G02(B)
JHVFS06-G02(B)	JHVFS10-G03(B)
JHVFS06-G03(B)	JHVFS10-G04(B)
JHVFS08-G01(B)	JHVFS12-G02(B)
JHVFS08-G02(B)	JHVFS12-G03(B)
JHVFS08-G03(B)	JHVFS12-G04(B)



金属快速接头/Metal one touch fittings



MODEL(ΦD-T)							
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(NPT)			Tube(Metric)-Thread(G)	
JMPC 04-JM5	MPC 08-01	JMPC 12-04	JMPC 5/32-UNF	JMPC 1/4-N3	JMPC 1/2-N2	JMPC 04-G01	JMPC 10-G01
JMPC 04-JM6	MPC08-02	JMPC 16-03	JMPC 5/32-N1	JMPC 1/4-N4	JMPC 1/2-N3	JMPC 04-G02	JMPC 10-G02
JMPC 04-01	MPC 08-03	JMPC 16-04	JMPC 5/322-N2	JMPC 5/16-N1	JMPC 1/2-N4	JMPC 04-G03	JMPC 10-G03
JMPC 04-02	MPC 08-04		JMPC 5/32-N3	JMPC 5/16-N2		JMPC 06-G01	JMPC 10-G04
JMPC 04-03	MPC 10-01		JMPC 3/16-UNF	JMPC 5/16-N3		JMPC 06-G02	JMPC 12-G01
JMPC 06-JM5	MPC 10-02		JMPC 3/16-N1	JMPC 5/16-N4		JMPC 06-G03	JMPC 12-G02
JMPC 06-JM6	MPC 10-03		JMPC 3/16-N2	JMPC 3/8-N 1		JMPC 06-G04	JMPC 12-G03
JMPC 06-01	MPC 10-04		JMPC 3/16-N3	JMPC 3/8-N2		JMPC 08-G01	JMPC 12-G04
JMPC 06-02	MPC 12-01		JMPC I/4-UNF	JMPC 3/8-N3		JMPC 08-G02	JMPC 16-G03
JMPC 06-03	MPC 12-02		JMPC I/4-N1	JMPC 3/8-N4		JMPC 08-G03	JMPC 16-G04
JMPC 06-04	MPC 12-03		JMPC I/4-N2	JMPC 1/2-N1		JMPC 08-G04	



MODEL(ΦD-T)							
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(NPT)			Tube(Metric)-Thread(G)	
JMPOC 04-JM5	JMPOC 08-01	JMPOC 12-04	JMPOC 5/32-UNF	JMPOC 1/4-N3	JMPOC 1/2-N2	JMPOC 04-G01	JMPOC 10-G01
JMPOC 04-JM6	JMPOC 08-02	JMPOC 16-03	JMPOC 5/32--N1	JMPOC 1/4-N4	JMPOC 1/2-N3	JMPOC 04-G02	JMPOC 10-G02
JMPOC 04-01	JMPOC 08-03	JMPOC 16-04	JMPOC 5/32-N2	JMPOC 5/16-N1	JM POC 1/2-N4	JMPOC 04-G03	JMPOC 10-G03
JMPOC 04-02	JMPOC 08-04		JMPOC 5/32-N3	JMPOC 5/16-N2		JMPOC 06-G01	JMPOC 10-G04
JMPOC 04-03	JMPOC 10-01		JMPOC 3/16-UN F	JMPOC 5/16-N3		JMPOC 06-G02	JMPOC 12-G01
JMPOC 06-JM5	JMPOC 10-02		JMPOC 3/16-N1	JMPOC 5/16-N4		JMPOC 06-G03	JM POC 12-G02
JMPOC 06-JM6	JMPOC 10-03		JMPOC 3/16-N2	JM POC 3/8- N 1		JMPOC 06-G04	JMPOC 12-G03
JMPOC 06-01	JMPOC 10-04		JMPOC 3/16-N3	JMPOC 3/8-N2		JMPOC 08-G01	JMPOC 12-G04
JMPOC 06-02	JMPOC 12-01		JMPOC 1/4-UNF	JMPOC 3/8-N3		JMPOC 08-G02	JMPOC 16-G03
JMPOC 06-03	JMPOC 12-02		JMPOC 1/4-N1	JMPOC 3/8-N4		JMPOC 08-G03	JMPOC 16-G04
JMPOC 06-04	JMPOC 12-03		JMPOC 1/4-N2	JMPOC 1/2-N1		JMPOC 08-G04	



MODEL(ΦD-T)							
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(NPT)			Tube(Metric)-Thread(G)	
JMPL 04-JM5	JMPL 08-01	JMPL 12-04	JMPL 5/32-UNF	JMPL 1/4-N3	JMPL 1/2-N2	JMPL 04-G01	JMPL 10-G01
JMPL 04-JM6	JMPL 08-02	JMPL 16-03	JMPL 5/32-N1	JMPL 1/4-N4	JMPL 1/2-N3	JMPL 04-G02	JMPL 10-G02
JMPL 04-01	JMPL 08-03	JMPL 16-04	JMPL 5/32-N2	JMPL 5/16-N1	JMPL 1/2-N4	JMPL 04-G03	JMPL 10-G03
JMPL 04-02	JMPL 08-04		JMPL 5/32-N3	JMPL 5/16-N2		JMPL 06-G01	JMPL 10-G04
JMPL 04-03	JMPL 10-01		JMPL 3/16-UNF	JMPL 5/16-N3		JMPL 06-G02	JMPL 12-G01
JMPL 06-JM5	JMPL 10-02		JMPL 3/16-N1	JMPL 5/16-N4		JMPL 06-G03	JMPL 12-G02
JMPL 06-JM6	JMPL 10-03		JMPL 3/16-N2	JMPL 3/8-N1		JMPL 06-G04	JMPL 12-G03
JMPL 06-01	JMPL 10-04		JMPL 3/16-N3	JMPL 3/8-N2		JMPL 08-G01	JMPL 12-G04
JMPL 06-02	JMPL 12-01		JMPL 1/4-UNF	JMPL 3/8-N3		JMPL 08-G02	JMPL 16-G03
JMPL 06-03	JMPL 12-02		JMPL 1/4-N1	JMPL 3/8-N4		JMPL 08-G03	JMPL 16-G04
JMPL 06-04	JMPL 12-03		JMPL 1/4-N2	JMPL 1/2-N1		JMPL 08-G04	



MODEL(ΦD-T)							
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(NPT)			Tube(Metric)-Thread(G)	
JMPT 04-JM5	JMPT 08-01	JMPT 12-04	JMPT 5/32-UNF	JMPT 1/4-N3	JMPT 1/2-N2	JMPT 04-G01	JMPT 10-G01
JMPT 04-JM6	JMPT 08-02	JMPT 16-03	JMPT 5/32-N1	JMPT 1/4-N4	JMPT 1/2-N3	JMPT 04-G02	JMPT 10-G02
JMPT 04-01	JMPT 08-03	JMPT 16-04	JMPT 5/32-N2	JMPT 5/16-N 1	JMPT 1/2-N4	JMPT 04-G03	JMPT 10-G03
JMPT 04-02	JMPT 08-04		JMPT 5/32-N3	JMPT 5/16-N2		JMPT 06-G01	JMPT 10-G04
JMPT 04-03	JMPT 10-01		JMPT 3/16-UNF	JMPT 5/16-N3		JMPT 06-G02	JMPT 12-G01
JMPT 06-JM5	JMPT 10-02		JMPT 3/16-N1	JMPT 5/16-N4		JMPT 06-G03	JMPT 12-G02
JMPT 06-JM6	JMPT 10-03		JMPT 3/16-N2	JMPT 3/8-N1		JMPT 06-G04	JMPT 12-G03
JMPT 06-01	JMPT 10-04		JMPT 3/16-N3	JMPT 3/8-N2		JMPT 08-G01	JMPT 12-G04
JMPT 06-02	JMPT 12-01		JMPT 1/4-UNF	JMPT 3/8-N3		JMPT 08-G02	JMPT 16-G03
JMPT 06-03	JMPT 12-02		JMPT 1/4-N1	JMPT 3/8-N4		JMPT 08-G03	JMPT 16-G04
JMPT 06-04	JMPT 12-03		JMPT 1/4-N2	JMPT 1/2-N1		JMPT 08-G04	

Fitting
Muffler
Pu Tube
Air Gun

金属快速接头/Metal one touch fittings



MODEL(ΦD-T)							
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(NPT)			Tube(Metric)-Thread(G)	
JMPST 04-JM5	JMPST08-01	JMPST 12-04	JMPST 5/32-UNF	JMPST 1/4 N3	JMPST 1/2-N2	JMPST 04 G01	JMPST 10-G01
JMPST 04-JM6	JMPST08-02	JMPST 16-03	JMPST 5/32-N1	JMPST 1/4-N4	JMPST 1/2-N3	JMPST04-G02	JMPST 10-G02
JMPST 04-01	JMPST08-03	JMPST 16-04	JMPST 5/32-N2	JMPST 5/16-N 1	JMPST 1/2-N4	JMPST 04 G03	JMPST 10-G03
JMPST 04-02	JMPST 08-04		JMPST 5/32-N3	JMPST 5/16-N2		JMPST06-G01	JMPST 10-G04
JMPST 04-03	JMPST 10-01		JMPST 3/16-UNF	JMPST 5/16-N3		JMPST 06-G02	JMPST 12-G01
JMPST 06-JM5	JMPST 10-02		JMPST 3/16-N1	JMPST 5/16-N4		JMPST06-G03	JMPST 12-G02
JMPST 06-JM6	JMPST 10-03		JMPST 3/16-N2	JMPST 3/8-N1		JM PST 06-G04	JMPST 12-G03
JMPST 06-01	JMPST 10-04		JMPST 3/16-N3	JMPST 3/8-N2		JMPST08-G01	JMPST 12-G04
JMPST 06-02	JMPST 12-01		JMPST 1/4-UNF	JMPST 3/8-N3		JMPST08-G02	JMPST 16-G03
JMPST 06-03	JMPST 12-02		JMPST 1/4-N1	JMPST 3/8-N4		JMPST08-G03	JMPST 16-G04
JMPST 06-04	JMPST 12-03		JMPST 1/4-N2	JMPST 1/2-N1		JMPST08-G04	



MODEL(ΦD-T)							
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(NPT)			Tube(Metric)-Thread(G)	
JMSC 04-JM5	JMSC 08-01	JMSC 12-04	JMSC 5/32-UNF	JMSC 1/4-N3	JMSC 1/2-N2	JMSC 04-G01	JMSC 10-G01
JMSC 04-JM6	JMSC 08-02	JMSC 16-03	JMSC 5/32--N1	JMSC 1/4-N4	JMSC 1/2-N3	JMSC 04-G02	JMSC 10-G02
JMSC 04-01	JMSC 08-03	JMSC 16-04	JMSC 5/32-N2	JMSC 5/16-N1	JMSC 1/2-N4	JMSC 04-G03	JMSC 10-G03
JMSC 04-02	JMSC 08-04		JMSC 5/32-N3	JMSC 5/16-N2		JMSC 06-G01	JMSC 10-G04
JMSC 04-03	JMSC 10-01		JMSC 3/16-UN F	JMSC 5/16-N3		JMSC 06-G02	JMSC 12-G01
JMSC 06-JM5	JMSC 10-02		JMSC 3/16-N1	JMSC 5/16-N4		JMSC 06-G03	JMSC 12-G02
JMSC 06-JM6	JMSC 10-03		JMSC 3/16-N2	JMSC 3/8-N 1		JMSC 06-G04	JMSC 12-G03
JMSC 06-01	JMSC 10-04		JMSC 3/16-N3	JMSC 3/8-N2		JMSC 08-G01	JMSC 12-G04
JMSC 06-02	JMSC 12-01		JMSC 1/4-UNF	JMSC 3/8-N3		JMSC 08-G02	JMSC 16-G03
JMSC 06-03	JMSC 12-02		JMSC 1/4-N1	JMSC 3/8-N4		JMSC 08-G03	JMSC 16-G04
JMSC 06-04	JMSC 12-03		JMSC 1/4-N2	JMSC 1/2-N1		JMSC 08-G04	



MODEL(ΦD-T)							
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(NPT)			Tube(Metric)-Thread(G)	
JMPH 04-JM5	JMPH 08-01	JMPH 12-04	JMPH 5/32-UNF	JMPH 1/4-N3	JMPH 1/2-N2	JMPH 04-G01	JMPH 10-G01
JMPH 04-JM6	JMPH 08-02	JMPH 16-03	JMPH 5/32-N1	JMPH 1/4-N4	JMPH 1/2-N3	JMPH 04-G02	JMPH 10-G02
JMPH 04-01	JMPH 08-03	JMPH 16-04	JMPH 5/32-N2	JMPH 5/16-N1	JMPH 1/2-N4	JMPH 04-G03	JMPH 10-G03
JMPH 04-02	JMPH 08-04		JMPH 5/32-N3	JMPH 5/16-N2		JMPH 06-G01	JMPH 10-G04
JMPH 04-03	JMPH 10-01		JMPH 3/16-UNF	JMPH 5/16-N3		JMPH 06-G02	JMPH 12-G01
JMPH 06-JM5	JMPH 10-02		JMPH 3/16-N1	JMPH 5/16-N4		JMPH 06-G03	JMPH 12-G02
JMPH 06-JM6	JMPH 10-03		JMPH 3/16-N2	JMPH 3/8-N1		JMPH 06-G04	JMPH 12-G03
JMPH 06-01	JMPH 10-04		JMPH 3/16-N3	JMPH 3/8-N2		JMPH 08-G01	JMPH 12-G04
JMPH 06-02	JMPH 12-01		JMPH 1/4-UNF	JMPH 3/8-N3		JMPH 08-G02	JMPH 16-G03
JMPH 06-03	JMPH 12-02		JMPH 1/4-N1	JMPH 3/8-N4		JMPH 08-G03	JMPH 16-G04
JMPH 06-04	JMPH 12-03		JMPH 1/4-N2	JMPH 1/2-N1		JMPH 08-G04	



MODEL(ΦD-T)							
Tube(Metric)-Thread(R)			Tube(Inch)-Thread(NPT)			Tube(Metric)-Thread(G)	
JMPCF 04-JM5	JMPCF 08-01	JMPCF 12-04	JMPCF 5/32-UNF	JMPCF 1/4-N3	JMPCF 1/2-N2	JMPCF 04-G01	JMPCF 10-G01
JMPCF 04-JM6	JMPCF 08-02	JMPCF 16-03	JMPCF 5/32-N1	JMPCF 1/4-N4	JMPCF 1/2-N3	JMPCF 04-G02	JMPCF 10-G02
JMPCF 04-01	JMPCF 08-03	JMPCF 16-04	JMPCF 5/32-N2	JMPCF 5/16-N1	JMPCF 1/2-N4	JMPCF 04-G03	JMPCF 10-G03
JMPCF 04-02	JMPCF 08-04		JMPCF 5/32-N3	JMPCF 5/16-N2		JMPCF 06-G01	JMPCF 10-G04
JMPCF 04-03	JMPCF 10-01		JMPCF 3/16-UNF	JMPCF 5/16-N3		JMPCF 06-G02	JMPCF 12-G01
JMPCF 06-JM5	JMPCF 10-02		JMPCF3/16-N1	JMPCF 5/16-N4		JMPCF 06-G03	JMPCF 12-G02
JMPCF 06-JM6	JMPCF 10-03		JMPCF 3/16-N2	JMPCF 3/8-N1		JMPCF 06-G04	JMPCF 12-G03
JMPCF 06-01	JMPCF 10-04		JMPCF 3/16-N3	JMPCF 3/8-N2		JMPCF 08-G01	JMPCF 12-G04
JMPCF 06-02	JMPCF 12-01		JMPCF 1/4-UNF	JMPCF 3/8-N3		JMPCF 08-G02	JMPCF 16-G03
JMPCF 06-03	JMPCF 12-02		JMPCF 1/4-N1	JMPCF 3/8-N4		JMPCF 08-G03	JMPCF 16-G04
JMPCF 06-04	JMPCF 12-03		JMPCF 1/4-N2	JMPCF 1/2 N1		JMPCF 08 G04	



金属快速接头/Metal one touch fittings



MODEL(ΦD-ΦD)	
Tube(JMetric)	Tube(Inch)
JMPUC 04	JMPUC 5/32
JMPUC 06	JMPUC 3/16
JMPUC 08	JMPUC 1/4
JMPUC 10	JMPUC 5/16
JMPUC 12	JMPUC 3/8
JMPUC 14	JMPUC 1/2
JMPUC 16	



MODEL(ΦD-ΦD)	
Tube(JMetric)	Tube(Inch)
JMPUT 04	JMPUT 5/32
JMPUT06	JMPUT 3/16
JMPUT 08	JMPUT 1/4
JMPUT 10	JMPUT 5/16
JMPUT 12	JMPUT 3/8
JMPUT 16	JMPUT 1/2



MODEL(ΦD1-ΦD2)	
Tube(JMetric)	Tube(Inch)
JMPG 06-04	JMPG 3/16-5/32
JMPG 08-04	JMPG 1/4-5/32
JMPG 08-06	JMPG 1/4-3/16
JMPG 1 0-06	JMPG 5/16-5/32
JMPG 10-08	JMPG 5/16-1/4
JMPG 12-08	JMPG 3/8-1/4
JMPG 12-10	JMPG 3/8-5/16
JMPG 16-12	JMPG 1/2-3/8



MODEL(ΦD1-ΦD2)	
Tube(JMetric)	Tube(Inch)
JMPGJ 06-04	JMPGJ 1/4-5/32
JMPGJ 08-06	JMPGJ 5/16-1/4
JMPGJ 10-06	JMPGJ 3/8-1/4
JMPGJ 10-08	JMPGJ 3/8-5/16
JMPGJ 12-08	JMPGJ 1/2-3/8
JMPGJ 12-10	
JMPGJ 16-10	
JMPGJ 16-12	



MODEL(ΦD-ΦD)	
Tube(JMetric)	Tube(Inch)
JMPUL 04	JMPUL 5/32
JMPUL 06	JMPUL 3/16
JMPUL 08	JMPUL 1/4
JMPUL 10	JMPUL 5/1
JMPUL 12	JMPUL 3/8
JMPUL 14	JMPUL 1/2
JMPUL 16	



MODEL(ΦD-ΦD)	
Tube(JMetric)	Tube(Inch)
JMPPM 04	JMPPM 5/32
JMPPM 06	JMPPM 3/16
JMPPM 08	JMPPM 1/4
JMPPM 10	JM PPM 5/16
JMPPM 12	JMPPM 3/8
JMPPM 16	JMPPM 1/ 2



MODEL(ΦD-ΦD)	
Tube(JMetric)	Tube(Inch)
JMPY 04	JMPY 5/32
JMPY 06	JMPY 3/16
JMPY 08	JMPY 1/4
JMPY 10	JMPY 5/16
JMPY 12	JMPY 3/8
JMPY 16	JMPY 1/ 2

美式接头/U.S.A Style Fitting

JC	1 /4	1/ 8 "	N
JC Series	Tube	Thread	Blank:BSP N:NPT



尺寸/Size			
JC1/8-10-32UNF	JC1/4-1/4N	JC3-1/8	JC10-1/8
JC1/8-1/8N	JC1/4-3/8N	JC4-1/8	JC10-1/4
JC5/32-10-32UNF	JC1/4-1/2N	JC4-1/4	JC10-3/8
JC5/32-1/8N	JC5/16-3/8N	JC5-1/8	JC10-1/2
JC5/32-1/4N	JC5/16-1/2N	JC6-1/8	JC12-1/4
JC5/32-1/2N	JC3/8-1/8N	JC6-1/4	JC12-3/8
JC3/16-10-32UNF	JC3/8-1/4N	JC6-3/8	JC12-1/2
JC3/16-1/8N	JC3/8-3/8N	JC6-1/2	
JC3/16-3/8N	JC3/8-1/2N	JC8-1/8	
JC3/16-1/2N	JC1/2-1/4N	JC8-1/4	
JC1/4-10-32UNF	JC1/2-3/8N	JC8-3/8	
JC1/4-1/8N	JC1/2-1/2N	JC8-1/2	



型号 Model
JCF1/4-1/8N
JCF1/4-1/4N
JCF3/8-1/4N
JCF3/8-3/8N
JCF6-1/8
JCF6-1/4
JCF8-1/4
JCF10-1/4
JCF10-3/8



尺寸/Size			
JL1/8-1/8N	JL1/4-3/8N	JL1/2-1/2N	JL10-1/8
JL1/8-1/4N	JL1/4-1/2N	JL1/2-M16	JC10-1/4
JL5/32-1/8N	JL5/16-1/8N	JL4-1/8	JC10-3/8
JL5/32-1/4N	JL5/16-1/4N	JL5-1/8	JC10-1/2
JL5/32-3/8N	JL5/16-3/8N	JL6-1/8	JC12-1/4
JL5/32-1/2N	JL3/8-1/8N	JL6-1/4	JC12-3/8
JL3/16-1/8N	JL3/8-1/4N	JL6-3/8	JC12-1/2
JL3/16-1/4N	JL3/8-3/8N	JL6-1/2	
JL3/16-3/8N	JL3/8-1/2N	JL8-1/8	
JL3/16-1/2N	JL3/8-M16	JL8-1/4	
JL1/4-1/8N	JL1/2-1/4N	JL8-3/8	
JL1/4-1/4N	JL1/2-3/8N	JL8-1/2	



型号 Model
JU1/8
JU5/32
JU3/16
JU5/16
JU3/8
JU1/2
JU3
JU4
JU5
JU6
JU8
JU10
JU12



尺寸/Size			
JB1/8-1/8N	JL1/4-3/8N	JB1/2-1/2N	JB10-1/2
JB1/8-1/4N	JL1/4-1/2N	JB6-1/8	JB12-1/4
JB5/32-1/8N	JL5/16-1/8N	JB6-1/4	JB12-3/8
JB5/32-1/4N	JL5/16-1/4N	JB6-3/8	JB12-1/2
JB5/32-3/8N	JL5/16-3/8N	JB6-1/2	
JB5/32-1/2N	JL5/16-1/2N	JB8-1/8	
JB3/16-1/8N	JL3/8-1/8N	JB8-1/4	
JB3/16-1/4N	JL3/8-1/4N	JB8-3/8	
JB3/16-3/8N	JL3/8-3/8N	JB8-1/2	
JB3/16-1/2N	JL3/8-1/2N	JB10-1/8	
JB1/4-1/8N	JL1/2-1/4N	JB10-1/4	
JB1/4-1/4N	JL1/2-3/8N	JB10-3/8	



型号 Model
JV1/8
JV5/32
JV3/16
JV1/4
JV5/16
JV3/8
JV1/2
JV3
JV4
JV5
JV6
JV8
JV10
JV12



型号 Model	
JPLL1/8-1/8N	JPLL3-1/4
JPLL5/32-1/8N	JPLL4-1/4
JPLL5/32-1/4N	JPLL6-1/8
JPLL1/4-1/8N	JPLL6-1/4
JPLL1/4-1/4N	JPLL8-1/8
JPLL1/4-3/8N	JPLL8-1/4
JPLL3/8-1/8N	JPLL10- 1/8
JPLL3/8-1/4N	JPLL10-1/4
JPLL3/8-3/8N	JPLL10-3/8
JPLL3/8-1/2N	JPLL12-3/8
JPLL1/2-3/8N	JPLL12-1/2



型号 Model
JE1/8
JE5/32
JE3/16
JE5/16.
JE3/8
JE1/2
JE3
JE4
JE5
JE6
JE8
JE10
Je12

Fitting
Muffler
Pu Tube
Air Gun



金属接头/Metal Fitting



型号 Model
JEC-O1
JEC-02
JEC-03
JEC-04



型号 Model
JECR-O1
JECR-02
JECR-03
JECR-04



型号 Model
JEL-01
JEL-02
JEL-03
JEL-04



型号 Model
JEH-01
JEH-02
JEH-03
JEH-04



型号 Model
JEHC-01
JEHC-02
JEHC-03
JEHC-04



型号 Model
JEM-O1M
JEM-02M
JEM-03M
JEM-04M
JEM-05M



型号 Model
JEV-01
JEV-02
JEV-03
JEV-04



型号 Model
JEF-01F
JEF-02F
JEF-03F
JEF-04F



型号 Model
JEHU-01
JEHU-02
JEHU-03
JEHU-04



型号 Model
JEHF-01
JEHF-02
JEHF-03
JEHF-04



型号 Model
JET-01
JET-02
JET-03
JET-04



型号 Model
JEHA-01
JEHA-02
JEHA-03
JEHA-04



型号 Model
JETA-01
JETA-02
JETA-03
JETA-04



型号 Model
JEM-01
JEM-02
JEM-03
JEM-04



型号 Model
JELA-01
JELA-02
JELA-03
JELA-04



型号 Model
JEX-01
JEX-02
JEX-03
JEX-04

快插接头/Quick Couplers



型号 Model	尺寸 Size
SH-20	5/16"TUBE
SH-30	3/8"TUBE
SH-40	1/2"TUSE



型号 Model	尺寸 Size
SF-20	1/4PT
SF-30	3/8PT
SF-40	1/2PT



型号 Model	尺寸 Size
SM-20	I/4PT
SM-30	3/8PT
SM-40	1/2PT



型号 Model	尺寸 Size
SP-20	5/16"TUBE
SP-30	3/8"TUBE
SP -40	1/2"TUBE



型号 Model	尺寸 Size
PH-20	5/16"TUBE
PH-30	3/8"TUBE
PH-40	1/2"TUBE



型号 Model	尺寸 Size
PF-20	1/4PT
PF-30	3/8PT
PF-40	1/2PT



型号 Model	尺寸 Size
PM-20	1/4PT
PM-30	3/8PT
PM-40	1/2PT



型号 Model	尺寸 Size
PP-20	5/16"TUBE
PP-30	3/8"TUBE
PP-40	1/2"TUBE

大流量快插接头
High Flow Quick Couplers



型号 Model	尺寸 Size
SM-400	1/ 2"PT
SM-600	3/ 4"PT
SM-800	1"PT



型号 Model	尺寸 Size
SH-400	15mm
SH-600	21mm
SH-800	27mm



型号 Model	尺寸 Size
SF-400	1/ 2"PT
SF-600	3/ 4"PT
SF-800	1"PT



型号 Model	尺寸 Size
PM-400	1/ 2"PT
PM-600	3/ 4"PT
PM-800	1"PT



型号 Model	尺寸 Size
PH-400	15mm
PH-600	21mm
PH-800	27mm



型号 Model	尺寸 Size
PF-400	1/ 2"PT
PF-600	3/ 4"PT
PF-800	1"PT

Milton系列快插接头/Milton Type Couplers And Plugs



型号 Model	螺纹大小 Thread size	材料 Material
MC 20F1	1/4″	黄铜. 钢
MC 30F1	3/8″	Brass.Steel



型号 Model	螺纹大小 Thread size	材料 Material
MC 20F1	1/4″	黄铜. 钢
MC 30F1	3/8″	Brass.Steel



型号 Model	螺纹大小 Thread size	材料 Material
MC 25H1	5/16″	黄铜. 钢
MC 30H1	3/8″	Brass.Steel



型号 Model	螺纹大小 Thread size	材料 Material
MP 20F1	1/4″	黄铜. 钢
MP 30F1	3/8″	Brass.Steel



型号 Model	螺纹大小 Thread size	材料 Material
MP 25H1	5/16″	黄铜. 钢
MP 30H1	3/8″	Brass.Steel



型号 Model	螺纹大小 Thread size	材料 Material
MC 20M1	5/16″	黄铜. 钢
MC 30M1	3/8″	Brass.Steel

Orion 系列快插接头/Orion Type Couplers And Plugs



型号 Model	螺纹大小 Thread size	材料 Material
OC 20F1	1/4″	黄铜. 钢
OC 30F1	3/8″	Brass.Steel



型号 Model	螺纹大小 Thread size	材料 Material
OC 25H1	5/16″	黄铜. 钢
OC 30H1	3/8″	Brass.Steel



型号 Model	螺纹大小 Thread size	材料 Material
OC 20M1	1/4″	黄铜. 钢
OC 30M1	3/8″	Brass.Steel

SMY
1/4PT
3/8PT

SMM
1/4PT

SMT
1/4PT

SML
1/4PT

SMV
1/4PT
3/8PT

SMX
1/4PT



消声器/Muffler

A 消声器
A Type muffler



型号 Model	螺纹大小 Thread size	S
A-M5	M5	9
A-6A	1/8″	13
A-8A	1/4″	17
A-10A	3/8″	22
A-15A	1/2″	24
A-20A	3/4″	30
A-25A	1″	36
A-32A	11/4″	46
A-40A	11/2″	52
A-50A	2″	64

AS 型消声器钢镀镍
AS Type muffler steel with nickle plated



型号 Model	螺纹大小 Thread size	S
AS-2.5	10-32UNF	8
AS-6	1/8″	11
AS-8	1/4″	14
AS-10	3/8″	17
AS-15	1/2″	22
AS-20	3/4″	27
AS-25	1″	34
AS-32	1-1/4″	43
AS-40	1-1/2″	51

AAS 型不锈钢消声器
AAS Type S.S muffler



型号 Model	螺纹大小 Thread size	S
AAS-M5	M5	8
AAS-6	1/8″	12
AAS-8	1/4″	15
AAS-10	3/8″	19
AAS-15	1/2″	23
AAS-20	3/4″	30
AAS-25	1″	36

AB 型消声器
AB Type muffler



型号 Model	螺纹大小 Thread size	S
AB-6	1/8″	11
AB-8	1/4″	14
AB-10	3/8″	17
AB-15	1/2″	22
AB-20	3/4″	27
AB-25	1″	33
AB-32	1-1/4″	43
AB-40	1-1/2″	51
AB-50	2″	60

SET 型消声器
SET Type muffler



型号 Model	螺纹大小 Thread size	S
SET-7	1/8″	8
SET-9.5	1/4″	10
SET-12.5	3/8″	13
SET-15.5	1/2″	15
SET-22	3/4″	19
SET-28	1″	24

V 型消声器
V Type muffler

型号 Model	螺纹大小 Thread size	S
V-M5	M5	8
V-6	1/8″	12
V-8	1/4″	15
V-10	3/8″	19
V-15	1/2″	22
V-20	3/4″	30
V-25	1″	36

VF 型消声器
VF Type muffler



型号 Model	螺纹大小 Thread size	S
VF-M5	M5	8
VF-6	1/8″	13
VF-8	1/4″	16
VF-10	3/8″	19
VF-15	1/2″	24

VS 型消声器钢镀镍
VS Type muffler steel with nickle plated

型号 Model	螺纹大小 Thread size	S
VS-6	1/8″	11
VS-8	1/4″	14
VS-10	3/8″	17
VS-15	1/2″	22
VS-20	3/4″	27
VS-25	1″	33
VS-32	1-1/4″	43
VS-40	1-1/2″	51

SSV 型不锈钢消声器
SSV Type S.S muffler



型号 Model	螺纹大小 Thread size	S
SSV-M5	M5	8
SSV-6	1/8″	12
SSV-8	1/4″	15
SSV-10	3/8″	19
SSV-15	1/2″	23
SSV-20	3/4″	30
SSV-25	1″	36

SDV 型消声器
SDV Type muffler



型号 Model	螺纹大小 Thread size	S
SDV -6	1/8″	13
SDV -8	1/4″	16
SDV -10	3/8″	19
SDV -15	1/2″	24
SDV -20	3/4″	30
SDV -25	1″	36

SSDV 型不锈钢消声器
SSDV Type S.S muffler



型号 Model	螺纹大小 Thread size	S
SSDV-M5	M5	8
SSDV-6	1/8″	13
SSDV-8	1/4″	16
SSDV-10	3/8″	19
SSDV-15	1/2″	24
SSDV-20	3/4″	30
SSDV-25	1″	36

消声器排气节流阀/ Quick exhaust muffling throttle valve

SA 型消声器排气节流阀
SA Quick exhaust muffling throttle valve



型号 Model	螺纹大小 Thread size	S
SA-6	1/8″	14
SA-8	1/4″	16
SA-10	3/8″	17
SA-15	1/2″	24
SA-20	3/4″	27
SA-25	1″	34

SB 型消声器排气节流阀
SB Quick exhaust muffling throttle valve



型号 Model	螺纹大小 Thread size	S
SB-6	1/8″	12
SB-8	1/4″	14
SB-10	3/8″	17
SB-15	1/2″	22
SB-20	3/4″	24
SB-25	1″	34

SC 型消声器排气节流阀
SC Quick exhaust muffling throttle valve



型号 Model	螺纹大小 Thread size	S
SC-6	1/8″	13
SC-8	1/4″	14
SC-10	3/8″	17
SC-15	1/2″	22
SC-20	3/4″	27
SC-25	1″	34

SD 型消声器排气节流阀
SD Quick exhaust muffling throttle valve



型号 Model	螺纹大小 Thread size	S
SD-6	1/8″	12
SD-8	1/4″	15
SD-10	3/8″	19
SD-15	1/2″	22
SD-20	3/4″	27
SD-25	1″	34

SK 型消声器排气节流阀
SK Quick exhaust muffling throttle valve



型号 Model	螺纹大小 Thread size	S
SK-6	1/8″	13
SK-8	1/4″	14
SK-10	3/8″	17
SK-15	1/2″	22
SK-20	3/4″	27
SK-25	1″	34

SS 型不锈钢消声排气节流阀
SS Quick exhaust muffling throttle valve



型号 Model	螺纹大小 Thread size	S
SSK-6	1/8″	13
SSK-8	1/4″	14
SSK-10	3/8″	17
SSK-15	1/2″	22
SSK-20	3/4″	27
SSK-25	1″	34

PTV 型消声器排气节流阀
PTV Quick exhaust muffling throttle valve



型号 Model	螺纹大小 Thread size	S
PTV-6	1/8″	10
PTV-8	1/4″	14
PTV-10	3/8″	17
PTV-15	1/2″	24
PTV-20	3/4″	30
PTV-25	1″	36

塑料消声器/ Plastic muffler

SU 型消声器
SU Type muffler



型号 Model	螺纹大小 Thread size	S
SU-6	1/8″	16
SU-8	1/4″	20
SU-10	3/8″	24
SU-15	1/2″	24
SU-20	3/4″	48
SU-25	1″	48

PSU 型消声器
PSU Type muffler



型号 Model	螺纹大小 Thread size	S
PUS-M5	M5	7
PUS-6	1/8″	13
PUS-8	1/4″	17
PUS-10	3/8″	25
PUS-15	1/2″	25
PUS-20	3/4″	
PUS-25	1″	

PSE 型消声器
PSE Type muffler



型号 Model	螺纹大小 Thread size	S
PSE-M5	M5	7
PSE-6	1/8″	13
PSE-8	1/4″	17
PSE-10	3/8″	25
PSE-15	1/2″	25
PSE-20	3/4″	37
PSE-25	1″	48



PU管/PE管/PU网管/尼龙管/PU管剪/气枪 / PU/PE/PU Reinforced/NYLON Tube / PU Cutter / Air Gun

PU 管/PU TUBE



型号/Model
4x2.5 6x4 8x5 8x6 10x6.512x8 14x10 16x12
型式:卷式
长度:200m 100m
颜色:
Type:Roll Type
Length:200m 100m
Colour:



型号/Model
型式:弹簧管
（带接头可选）
长度:15m 12m 9m
7.5m 6m
颜色:
Type: Spring Type
(With Fitting, Optional)
Length: 15m 12m 9m
7.5m 6m
Colour:

PU网管/PU Reinforced



型号/Model
尺寸/Size: 3/8x1/4 1/2x3/8 8x5 10x6.5 11x6
12x8 13x9 13.5x8 13.5x9.5 14x10 14.5x10
15x9 16x10 16x11 18x12 18x13
控制压力:200Pis
最大压力:600Pis
温度:-20~65℃
Operating Pressure: 200Pis
Max. Pressure: 600Pis
Temperature: -20~65℃

PE管/PE TUBE



型号/Model
4x2.5 6x4 8x5 8x6 10x6.5 12x8
型式:卷状/弹簧管
长度:200m 100m 50m
35m 30m
颜色:
Type: Roll Type/Spring Type
Length: 200m 100m 50m
35m 30m
Colour:

尼龙管/NYLON Tube



型号/Model
3x2 4x2.5 5x3 6x4 8x5 8x6 10x6.5 12x8 14x10 16x12
型式:卷状/弹簧管
长度:200m 100m 50m
35m 30m
颜色:
Type: Roll Type
Length: 200m 100m 50m
35m 30m
Colour:

PU管剪/PU Cutter



TC–01

气枪/Air Gun



DG-10-1F



DG-10-2F



DG-10-3F

气枪/Air Gun



DG-10-1K



DG-10-2K



DG-10-3K



KG-601-1




KG-601-2



KG-601-3



BG-1



BG-2



BG-3



PAG-1



PAG-2



PAG-3



DG-10B-1



DG-10B-2



DG-10B-3